

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

*Sub D' >*  
1. (currently amended): A method of transmitting, receiving, storing and displaying television program data, the method comprising:

transmitting program data including scheduled program data, program guide data, cache program data comprising broadcast programming, and a boot object having location information associated with the cache program data and requiring storage of the cache program data;

*C11  
could*  
receiving the program data;

storing the cache program data based on location information stored in the boot object;

selecting a cache television program;

retrieving a portion of the cache program data that corresponds to the selected cache television program; and

generating a display of the television program for viewing based upon the retrieved portion of cache program data.

2. (original): The method of claim 1 wherein the storing of the cache program is based upon identifying an identifier associated with the cache program data.

3. (previously presented): The method of claim 1 wherein a transmission rate of the cache program data is different than a retrieval rate of the cache program data.

4. (previously presented): The method of claim 1 wherein a transmission rate of the cache program data is higher than the retrieval rate of the cache program data.

5. (previously presented): The method of claim 1 wherein a transmission rate of the cache program data is approximately twice the retrieval rate of the cache program data.

6. (previously presented): The method of claim 1 wherein a transmission rate of the cache program data is lower than the retrieval rate of the cache program data.

*C1  
contd*  
*D1  
contd*  
7. (previously presented): The method of claim 2 further comprising:  
transmitting identification data that instructs a receiver about the identifier associated  
with the cache program data.

8. (previously presented): The method of claim 7 further comprising:  
maintaining a record of selection representing selected cache television programs and  
assessing a fee based upon the record of selection.

9. (original): The method of claim 8 wherein the record of selection is maintained at  
the receiver.

10. (previously presented): The method of claim 8 wherein the record of selection is  
maintained in a memory of an access card at the receiver.

11. (currently amended): A method to transmit television content and program data,  
the method comprising:

organizing program data including scheduled program data, program guide data, and cache program data comprising broadcast programming into objects; and

transmitting the program data and a boot object having a cache program object to identify location information associated with the cache program data and to require storage of the cache program data.

12. (previously presented): A method as defined in claim 11, wherein the cache program data comprises a transmission rate different than a retrieval rate of the cache program data.

*C' could*  
13. (previously presented): A method as defined in claim 11, wherein the cache program data comprises a transmission rate higher than the retrieval rate of the cache program data.

*D' could*  
14. (previously presented): A method as defined in claim 11, wherein the cache program data comprises a transmission rate lower than the retrieval rate of the cache program data.

15. (previously presented): A method as defined in claim 11, wherein the boot object comprises a service channel identification (SCID) number identifying the location of the cache program data.

16. (previously presented): A method to process television content and program data, the method comprising:

receiving program data including scheduled program data, program guide data, and cache program data comprising broadcast programming, and a boot object having location information associated with the cache program data and requiring storage of the cache program data;

storing the cache program data based on location information stored in the boot object;

selecting a cache television program;

retrieving a portion of the cache program data that corresponds to the selected cache television program; and

generating a display of the television program for viewing based upon the retrieved portion of cache program data.

*C1 cont'd*  
*D1 cont'd*  
17. (previously presented): A method as defined in claim 16, wherein the cache program data comprises a transmission rate different than a retrieval rate of the cache program data.

18. (previously presented): A method as defined in claim 16, wherein the cache program data comprises a transmission rate higher than the retrieval rate of the cache program data.

19. (previously presented): A method as defined in claim 16, wherein the cache program data comprises a transmission rate lower than the retrieval rate of the cache program data.

20. (previously presented): A method as defined in claim 16, wherein the boot object comprises a service channel identification (SCID) number identifying the location of the cache program data.

*C1  
concl.*  
21. (new): A method as defined in claim 1, wherein the cache program data comprises at least one of video data and audio data of broadcast programming.

*D1  
concl.*  
22. (new): A method as defined in claim 11, wherein the cache program data comprises at least one of video data and audio data of broadcast programming.

23. (new): A method as defined in claim 16, wherein the cache program data comprises at least one of video data and audio data of broadcast programming.

---